

Basin Plan Water Resource Plan Requirements Position Statement 4E - Consistency with 10.21 (Environmental outcomes relating to groundwater)

POLICY ISSUE	How will the MDBA assess whether the requirements of s10.21 (Environmental outcomes relating to groundwater) have been met?
REFERENCES	Basin Plan s6.14, s10.21, s10.22, s10.29 -10.35, s10.41 and s10.43

MDBA POSITION STATEMENT	
	<ol style="list-style-type: none"> 1. In preparing a WRP regard must be had to whether it is necessary to include rules that prevent elevated levels of salinity and other types of water quality degradation in a groundwater SDL resource unit. Detail about the meaning of 'having regard to' is contained in Position Statement 1B. 2. In having regard to the need for rules, if the risk assessment (under s10.41) for a WRP determines that the level of risk to the condition of water resources in the WRP area arising from elevated levels of salinity and other types of water quality degradation (10.41(2)(d)) is medium or high, the MDBA will expect that the WRP will include rules to address the identified risks. The WRP must also explain why, if any risks to the condition and continued availability of the water resources have been identified, WRP rules addressing such risks have or have not been included (s10.22(b)). 3. Where there are existing rules in an interim or transitional water resource plan or under State water management law that manage risks arising from elevated levels of salinity and other types of water quality degradation in the WRP area, the rules should be continued into the WRP in the existing form, or in an improved way. A WRP may also include additional or improved rules. 4. If a WRP omits an existing rule (point 3), the MDBA will seek supporting evidence that demonstrates why the rule was not required. 5. The WRP or supporting evidence must demonstrate that in considering the need for rules and developing the rules, regard was had to whether rules should be included to specify: <ol style="list-style-type: none"> a. the times, places and rates at which groundwater is permitted to be taken b. resource condition limits (for example cease to pump trigger levels and bore offset distances) c. restrictions on the times, places and rates of groundwater extraction to maintain any such resource condition limits d. a requirement to establish and maintain a register which identifies bore sites used to monitor groundwater salinity or other water quality characteristics.

MDBA Reference	D15/86605	<i>Accessed:</i>
-----------------------	-----------	------------------

6. The MDBA will assess whether rules are required, and the adequacy of rules that are included, by referring to:
 - a. the *Approaches to achieve sustainable groundwater management in the Murray Darling Basin* report, or
 - b. expert judgement, or
 - c. comparing with rules in comparable systems elsewhere.
7. The requirements for describing how regard was had to the matters are addressed in Position Statement 4F Description of how requirements have been met (s10.22). Additionally, in having regard to the need for any rules to be included, and in developing such rules, reference should be made to Position Statement 1H Potential Reliability Changes.
8. Where appropriate a Basin State may use the Water Quality Management Plan to meet the requirements of s10.21. Position Statement 7A - requirements to for a groundwater quality management plan (Chapter 10, Part 7) contains more information about this. To ensure that this is clear, the WRP index should reference the WQMP as being intended to meet the requirements for both s10.21 and Part 7 of Chapter 10.

Rationale

If a WRP area does not contain areas where risk of elevated levels of salinity and other types of water quality degradation is rated as high or medium, the state should make a statement to this effect.

The MDBA will assess whether regard has been appropriately had for the purposes of s10.18, in the way described in Position Statement 1B (interpreting ‘having regard to’).

The MDBA will apply Position Statement 4F to assess how the WRP or supporting evidence describes what was done to comply with the requirements for s10.21, including how consideration was given to the need for the particular types of rule mentioned in point 5 of this position statement.

If a risk arising from elevated salinity or other water quality degradation is identified by the WRP risk assessment as medium or high, the MDBA will also assess any explanation that such a risk cannot be addressed by the water resource plan in a manner commensurate with the level of risk (s10.43(1)(b)).

The MDBA has produced a report, *Approaches to achieve sustainable groundwater management in the Murray Darling Basin*, which provides guidance on selecting of appropriate rules in different circumstances to address the risks to meeting: environmental watering requirements (s10.18), groundwater and surface water connections (s10.19), productive base (s10.20) and water quality (s10.21). This report is available at: [http://mdba.gov.au/kid/files/Approaches to achieve sustainable groundwater management in the Murray Darling Basin.PDF](http://mdba.gov.au/kid/files/Approaches_to_achieve_sustainable_groundwater_management_in_the_Murray_Darling_Basin.PDF).

The report provides guidance in developing rules for inclusion in the WRPs. It is designed to assist WRP preparation and a Basin State may choose different rules or methods to those included in the report. The MDBA will use the report as one source of information when assessing the adequacy of rules to address risks arising from elevated salinity or other types of water quality degradation (10.41(2)(d)). Other sources of information for assessing the adequacy of rules include:

- a. comparing the rules with rules applied in other areas in the Basin State,
- b. comparing rules with rules used in other jurisdictions,
- c. referring the rules to internal or external experts for their judgement.

MDBA Reference	D15/86605
----------------	-----------

POSITION STATEMENT 4E: Consistency with 10.21

Under s6.14 of the Basin Plan: 'Nothing in the Basin Plan requires a change in the reliability of water allocations of a kind that would trigger Subdivision B of Division 4 of Part 2 of the *Water Act 2007*. Therefore if any rules are required that are in addition to those already applying under the relevant transitional or interim water resource plan, a Basin State may either:

- develop and include in the WRP rules that do not change the reliability of water allocations, or
- if it is not possible to include rules that do not change reliability – not include rules in the WRP.

If through the process of applying s 10.21 it is clear that rules are necessary, but a Basin State determines that it is not possible to include rules that do not change reliability, the MDBA will seek evidence to support that determination.

A Basin State may choose to include in a WRP rules that change the reliability of water allocations, however it must be made clear that the Basin State has chosen to include the rules for its own reasons, and not in order to meet any requirement of the Basin Plan. Position Statement 1H sets out the MDBA's policy on potential reliability changes.

Note 1: The proposed Basin Plan groundwater amendments include changes to clause 10.21. This Position Statement will be revised as required.

MDBA Reference	D15/86605
-----------------------	-----------