Appendix 3 of the Transition Period Water Take Report 2018-19

Groundwater SDL trial water take account

Non-binding trial of reporting under the Basin Plan (incorporating amendments) - Groundwater sustainable diversion limits, water recovered, permitted and actual take and indicative compliance test (from July 2012)

Data inputs

SDL Resource Unit code	SDL resource unit	WRP area	State	BDL (GL/yr) [1]	SDL (GL/yr) [2]	State Planning Limit (GL/y)	Recovery Target LTDLE (GL) [3] = [1] - [2]	LTDLE of HEW recovered (GL) [4] at 1 July 2013	at 1 July 2014	at 1 July 2015	at 1 July 2016	at 1 July 2017	at 1 July 2018	at 1 July 2019	Total Annual Permitted Take (GL/y) [5] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
GS54	Queensland Border Rivers Alluvium	Queensland Border Rivers-Moonie	QLD	14.0	14.0	20.6	-	-	-	-	-	-	-	-	14.0	14.0	14.0	14.0	14.0	14.0	14.0
GS55	Queensland Border Rivers Fractured Rock	Queensland Border Rivers-Moonie	QLD	10.1	10.5	10.5	-	-	-	-	-	-	-	-	10.5	10.5	10.5	10.5	10.5	10.5	10.5
GS57	Sediments above the Great Artesian Basin: Border Rivers-Moonie	Queensland Border Rivers-Moonie	QLD	0.14	46.9	11.4	-	-	-	-	-	-	-	-	46.9	46.9	46.9	46.9	46.9	46.9	46.9
GS62	St George Alluvium: Moonie	Queensland Border Rivers-Moonie	QLD	0.01	0.69	0.69	-	-	-	-	-	-	-	-	0.69	0.69	0.69	0.69	0.69	0.69	0.69
GS53	Condamine Fractured Rock	Condamine-Balonne	QLD	0.81	1.48	1.73	-	-	-	-	-	-	-	-	1.48	1.48	1.48	1.48	1.48	1.48	1.48
GS56	Queensland MDB: deep	Condamine-Balonne	QLD	0.00	100.0	15.0	-	-	-	-	-	-	-	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0
GS58	Sediments above the Great Artesian Basin: Condamine–Balonne	Condamine-Balonne	QLD	0.66	18.1	5.37	-	-	-	-	-	-	-	-	18.1	18.1	18.1	18.1	18.1	18.1	18.1
GS61a	St George Alluvium: Condamine–Balonne (shallow)	Condamine-Balonne	QLD	0.77	27.7	4.10	-	-	-	-	-	-	-	-	27.7	27.7	27.7	27.7	27.7	27.7	27.7
GS61b	St George Alluvium: Condamine–Balonne (deep)	Condamine-Balonne	QLD	12.6	12.6	12.6	-	-	-	-	-	-	-	-	12.6	12.6	12.6	12.6	12.6	12.6	12.6
GS64a	Upper Condamine Alluvium (Central Condamine Alluvium)	Condamine-Balonne	QLD	81.4	46.0	92.0	35.4	0.00	0.00	0.00	2.07	2.71	2.71	34.7	46.0	46.0	46.0	46.0	46.0	46.0	46.0
GS64b	Upper Condamine Alluvium (Tributaries)	Condamine-Balonne	QLD	45.5	40.5	45.5	3.05	0.00	0.00	0.00	0.00	0.01	0.01	0.10	40.5	40.5	40.5	40.5	40.5	40.5	40.5
GS65	Upper Condamine Basalts	Condamine-Balonne	QLD	79.0	79.0	79.0	-	-	-	-	-	-	-	-	79.0	79.0	79.0	79.0	79.0	79.0	79.0
GS60	Sediments above the Great Artesian Basin: Warrego–Paroo–Nebine	Warrego-Paroo-Nebine	QLD	1.21	99.2	8.72	-	-	-	-	-	-	-	-	1.32	1.32	1.24	1.24	0.89	0.72	0.74
GS63	St George Alluvium: Warrego–Paroo–Nebine	Warrego-Paroo-Nebine	QLD	0.12	24.6	0.08	-	-	-	-	-	-	-	-	0.12	0.12	0.12	0.12	0.11	0.08	0.08
GS66	Warrego Alluvium	Warrego-Paroo-Nebine	QLD	0.70	10.2	2.78	-	-	-	-	-	-	-	-	0.64	0.72	0.72	0.72	0.68	0.78	0.77
GS50	Western Porous Rock	NSW Murray-Darling Basin Porous Rock	NSW	63.1	226.0	530.5	-	-	-	-	-	-	-	-	226.0	226.0	226.0	226.0	226.0	226.0	226.0
GS17	Gunnedah-Oxley Basin MDB	NSW Murray-Darling Basin Porous Rock	NSW	22.1	127.5	205.6	-	-	-	-	-	-	-	-	127.5	127.5	127.5	127.5	127.5	127.5	127.5
GS41	Sydney Basin MDB	NSW Murray-Darling Basin Porous Rock	NSW	3.12	19.1	60.4	-	-	-	-	-	-	-	-	19.1	19.1	19.1	19.1	19.1	19.1	19.1
GS38	Oaklands Basin	NSW Murray-Darling Basin Porous Rock	NSW	0.00	2.50	0.00	-	-	-	-	-	-	-	-	2.50	2.50	2.50	2.50	2.50	2.50	2.50
GS42	Upper Darling Alluvium	Darling Alluvium	NSW	6.29	6.59	19.1	-	-	-	-	-	-	-	-	6.59	6.59	6.59	6.59	6.59	6.59	6.59
GS23	Lower Darling Alluvium	Darling Alluvium	NSW	2.23	2.23	2.23	-	-	-	-	-	-	-	-	2.23	2.23	2.23	2.23	2.23	2.23	2.23
GS13	Billabong Creek Alluvium	Murray Alluvium	NSW	7.50	7.50	7.50	-	-	-	-	0.03	0.03	0.03	0.03	7.50	7.50	7.50	7.50	7.50	7.50	7.50
GS27a	Lower Murray Shallow Alluvium	Murray Alluvium	NSW	81.9	81.9	81.9	-	-	-	-	0.03	0.03	0.03	0.03	81.9	81.9	81.9	81.9	81.9	81.9	81.9
GS27b	Lower Murray Deep Alluvium	Murray Alluvium	NSW	88.9	88.9	85.2	-	-	-	-	1.32	1.32	1.32	1.32	126.4	104.3	98.9	85.2	81.0	97.7	97.7
GS46	Upper Murray Alluvium	Murray Alluvium	NSW	14.1	14.1	14.1	-	-	-	-	0.14	0.14	0.14	0.14	15.5	14.1	14.8	14.1	14.1	14.8	15.5
GS21	Lake George Alluvium	Murrumbidgee Alluvium	NSW	1.27	1.27	1.27	-	-	-	-	-	-	-	-	1.27	1.27	1.27	1.27	1.27	1.27	1.27
GS28a	Lower Murrumbidgee Shallow Alluvium	Murrumbidgee Alluvium	NSW	26.9	26.9	13.0	-	-	-	-	-	-	-	-	26.9	26.9	26.9	26.9	26.9	26.9	26.9
GS28	Lower Murrumbidgee Deep Alluvium	Murrumbidgee Alluvium	NSW	273.6	273.6	271.0	-	-	-	-	5.05	5.05	5.05	5.05	323.9	279.2	288.9	257.5	257.5	284.5	311.5
GS31	Mid-Murrumbidgee Alluvium	Murrumbidgee Alluvium	NSW	53.5	53.5	53.5	-	-	-	-	-	-	-	-	61.4	56.1	58.9	43.0	45.6	56.1	56.1
GS12	Belubula Alluvium	Lachlan Alluvium	NSW	2.88	2.88	2.88	-	-	-	-	-	-	-	-	2.88	2.88	2.88	2.88	2.88	2.88	2.88
GS25	Lower Lachlan Alluvium	Lachlan Alluvium	NSW	123.4	117.0	112.0	-	-	-	-	-	-	-	-	128.0	120.5	118.4	94.7	97.9	117.4	117.4
GS44	Upper Lachlan Alluvium	Lachlan Alluvium	NSW	94.2	94.2	94.2	-	-	-	-	-	-	-	-	94.2	94.2	94.2	94.2	94.2	94.2	94.2
GS10	Adelaide Fold Belt MDB	NSW Murray-Darling Basin Fractured Rock	NSW	3.61	6.90	26.0	-	-	-	-	-	-	-	-	6.90	6.90	6.90	6.90	6.90	6.90	6.90
GS19	Kanmantoo Fold Belt MDB	NSW Murray-Darling Basin Fractured Rock	NSW	8.91	18.7	121.5	-	-	-	-	-	-	-	-	18.7	18.7	18.7	18.7	18.7	18.7	18.7
GS20	Lachlan Fold Belt MDB	NSW Murray-Darling Basin Fractured Rock	NSW	142.4	259.0	901.8	-	-	-	-	0.03	0.03	0.03	0.03	259.0	259.0	259.0	259.0	259.0	259.0	259.0
GS39	Orange Basalt	NSW Murray-Darling Basin Fractured Rock	NSW	10.7	10.7	16.2	-	-	-	-	-	-	-	-	10.7	10.7	10.7	10.7	10.7	10.7	10.7
GS51	Young Granite	NSW Murray-Darling Basin Fractured Rock	NSW	7.11	7.11	9.50	-	-	-	-	-	-	-	-	7.11	7.11	7.11	7.11	7.11	7.11	7.11
GS18	Inverell Basalt	NSW Murray-Darling Basin Fractured Rock	NSW	4.15	4.15	25.8	-	-	-	-	-	-	-	-	4.15	4.15	4.15	4.15	4.15	4.15	4.15
GS22	Liverpool Ranges Basalt MDB	NSW Murray-Darling Basin Fractured Rock	NSW	2.16	2.16	19.1	-	-	-	-	-	-	-	-	2.16	2.16	2.16	2.16	2.16	2.16	2.16
GS37	New England Fold Belt MDB	NSW Murray-Darling Basin Fractured Rock	NSW	32.9	55.1	276.0	-	-	-	-	-	-	-	-	55.1	55.1	55.1	55.1	55.1	55.1	55.1
GS49	Warrumbungle Basalt	NSW Murray-Darling Basin Fractured Rock	NSW	0.55	0.55	5.71	-	-	-	-	-	-	-	-	0.55	0.55	0.55	0.55	0.55	0.55	0.55
GS11	Bell Valley Alluvium	Macquarie-Castlereagh Alluvium	NSW	3.29	3.29	3.29	-	-	-	-	-	-	-	-	3.29	3.29	3.29	3.29	3.29	3.29	3.29
GS14	Castlereagh Alluvium	Macquarie-Castlereagh Alluvium	NSW	0.62	0.62	0.62	-	-	-	-	-	-	-	-	0.62	0.62	0.62	0.62	0.62	0.62	0.62
GS15	Coolaburragundy–Talbragar Alluvium	Macquarie-Castlereagh Alluvium	NSW	3.47	3.47	3.47	-	-	-	-	-	-	-	-	3.47	3.47	3.47	3.47	3.47	3.47	3.47
GS16	Cudgegong Alluvium	Macquarie-Castlereagh Alluvium	NSW	2.53	2.53	2.53	-	-	-	-	-	-	-	-	2.66	2.78	2.78	2.53	2.53	2.91	2.66
GS26	Lower Macquarie Alluvium*	Macquarie-Castlereagh Alluvium	NSW	52.7	52.7	71.0	-	-	-	-	-	-	-	-	53.4	53.2	53.0	52.7	52.7	52.7	52.7
GS45	Upper Macquarie Alluvium	Macquarie-Castlereagh Alluvium	NSW	17.9	17.9	17.9	-	-	-	-	-	-	-	-	19.7	17.9	17.9	17.0	15.3	21.4	20.5
GS34	NSW GAB Surat Shallow	New South Wales Great Artesian Basin Shallow	NSW	6.57	15.5	143.3	-	-	-	-	-	-	-	-	15.5	15.5	15.5	15.5	15.5	15.5	15.5
GS35	NSW GAB Warrego Shallow	New South Wales Great Artesian Basin Shallow	NSW	0.65	33.4	115.7	-	-	-	-	-	-	-	-	33.4	33.4	33.4	33.4	33.4	33.4	33.4
GS36	NSW GAB Central Shallow	New South Wales Great Artesian Basin Shallow	NSW	0.25	8.83	145.6	-	-	-	-	-	-	-	-	8.83	8.83	8.83	8.83	8.83	8.83	8.83
GS29	Lower Namoi Alluvium	Namoi Alluvium	NSW	88.3	88.3	89.3	-	-	-	-	-	-	-	-	95.7	102.2	95.8	93.7	80.7	106.6	106.6
GS30	Manilla Alluvium	Namoi Alluvium	NSW	1.23	1.23	1.23	-	-	-	-	-	-	-	-	1.23	1.23	1.23	1.23	1.23	1.23	1.23
GS40	Peel Valley Alluvium	Namoi Alluvium	NSW	9.34	9.34	9.34	-	-	-	-	-	-	-	-	9.34	10.7	9.15	9.34	8.44	11.1	10.2
GS47	Upper Namoi Alluvium	Namoi Alluvium	NSW	123.4	123.4	124.9	-	-	-	-	-	-	-	-	137.3	145.4	129.2	137.1	124.9	143.2	137.1
GS48	Upper Namoi Tributary Alluvium	Namoi Alluvium	NSW	1.77	1.77	1.77	-	-	-	-	-	-	-	-	1.77	1.77	1.77	1.77	1.77	1.77	1.77
GS24	Lower Gwydir Alluvium	Gwydir Alluvium	NSW	33.0	33.0	33.0	-	-	-	-	-	-	-	-	39.1	43.5	36.7	36.3	33.1	36.3	39.6
GS43	Upper Gwydir Alluvium	Gwydir Alluvium	NSW	0.72	0.72	0.72	-	-	-	-	-	-	-	-	0.72	0.72	0.72	0.72	0.72	0.72	0.72
GS32	NSW Border Rivers Alluvium	NSW Border Rivers Alluvium	NSW	8.40	8.40	8.40	-	-	-	-	-	-	-	-	8.40	8.40	8.40	8.40	8.40	8.40	8.40
GS33	NSW Border Rivers Tributary Alluvium	NSW Border Rivers Alluvium	NSW	0.41	0.41	0.41	-	-	-	-	-	-	-	-	0.41	0.41	0.41	0.41	0.41	0.41	0.41
GS52	Australian Capital Territory (Groundwater)	Australian Capital Territory (groundwater)	ACT	2.27	3.16	7.25	-	-	-	-	-	-	-	-	3.16	3.16	3.16	3.16	3.16	3.16	3.16
GS8a	Goulburn-Murray: Shepparton Irrigation Region	Goulburn-Murray	VIC	244.1	244.1	244.1	-	-	-	-	-	-	-	-	244.1	244.1	244.1	244.1	244.1	244.1	244.1
GS8b	Goulburn-Murray: Highlands	Goulburn-Murray	VIC	38.3	68.7	38.3	-	-	-	-	-	-	-	-	68.7	68.7	68.7	68.7	68.7	68.7	68.7
GS8c	Goulburn-Murray: Sedimentary Plain	Goulburn-Murray	VIC	203.5	223.0	214.0	-	-	-	-	-	-	-	-	223.0	223.0	223.0	223.0	223.0	223.0	223.0
GS8d	Goulburn-Murray: deep	Goulburn-Murray	VIC	0.00	20.0	0.00	-	-	-	-	-	-	-	-	20.0	20.0	20.0	20.0	20.0	20.0	20.0
GS9a	Wimmera-Mallee: Highlands	Wimmera-Mallee	VIC	1.26	2.75	1.30	-	-	-	-	-	-	-	-	2.75	2.75	2.75	2.75	2.75	2.75	2.75
GS9b	Wimmera-Mallee: Sedimentary Plain**	Wimmera-Mallee	VIC	65.7	186.9	68.9	-	-	-	-	-	-	-	-	163.8	163.8	163.8	163.8	163.8	163.8	163.8
GS9c	Wimmera-Mallee: deep	Wimmera-Mallee	VIC	0.00	20.0	0.00	-	-	-	-	-	-	-	-	20.0	20.0	20.0	20.0	20.0	20.0	20.0
GS3a	Mallee (Pliocene Sands)	South Australian Murray Region	SA	0.00	41.4	0.00	-	-	-	-	-	-	-	-	41.4	41.4	41.4	41.4	41.4	41.4	41.4
GS3b	Mallee (Murray Group Limestone)	South Australian Murray Region	SA	63.6	63.6	63.6	-	-	-	-	-	-	-	-	63.6	63.6	63.6	63.6	63.6	63.6	63.6
GS3c	Mallee (Renmark Group)	South Australian Murray Region	SA	0.00	2.00	0.00	-	-	-	-	-	-	-	-	2.00	2.00	2.00	2.00	2.00	2.00	2.00
GS5a	Peake–Roby–Sherlock (unconfined)	South Australian Murray Region	SA	3.41	3.41	3.41	-	-	-	-	-	-	-	-	3.41	3.41	3.41	3.41	3.41	3.41	3.41
GS5b	Peake–Roby–Sherlock (confined)	South Australian Murray Region	SA	2.58	2.58	2.58	-	-	-	-	-	-	-	-	2.58	2.58	2.58	2.58	2.58	2.58	2.58
GS6	SA Murray	South Australian Murray Region	SA	1.80	64.8	0.00	-	-	-	-	-	-	-	-	64.8	64.8	64.8	64.8	64.8	64.8	64.8
GS7	SA Murray Salt Interception Schemes	South Australian Murray Region	SA	13.2	28.6	0.00	-	-	-	-	-	-	-	-	28.6	28.6	28.6	28.6	28.6	28.6	28.6
GS1a	Angas Bremer (Quaternary Sediments)	Eastern Mount Lofty Ranges	SA	0.00	1.09	0.25	-	-	-	-	-	-	-	-	0.25	0.25	0.25	0.25	0.25	0.25	0.25
GS1b	Angas Bremer (Murray Group Limestone)	Eastern Mount Lofty Ranges	SA	6.57	6.57	6.60	-	-	-	-	-	-	-	-	6.57	6.57	6.57	6.57	6.57	6.57	6.57
GS2	Eastern Mount Lofty Ranges	Eastern Mount Lofty Ranges	SA	34.7	38.5	38.5	-	-	-	-	-	-	-	-	38.5	38.5	38.5	38.5	38.5	38.5	38.5
GS4a	Marne Saunders (Fractured Rock)	Eastern Mount Lofty Ranges	SA	2.09	2.09	2.10	-	-	-	-	-	-	-	-	2.09	2.09	2.09	2.09	2.09	2.09	2.09
GS4b	Marne Saunders (Murray Group Limestone)	Eastern Mount Lofty Ranges	SA	2.38	2.38	2.40	-	-	-	-	-	-	-	-	2.34	2.34	2.34	2.34	2.34	2.34	2.34
GS4c	Marne Saunders (Renmark Group)	Eastern Mount Lofty Ranges	SA	0.50	0.50	0.50	-	-	-	-	-	-	-	-	0.50	0.50	0.50	0.50	0.50	0.50	0.50
		TOTALS	MDB	2365.0	3472.4	4732.4	38.5	0.00	0.00	0.00	8.67	9.31	9.31	41.4	3454.5	3392.4	3366.8	3285.5	3255.6	3386.6	3409.4
			Qld	247.0	531.5	310.0	38.5	-	-	-	2.07	2.71	2.71	34.8	399.5	399.6	399.5	399.5	399.2	399.1	399.1
			NSW	1432.0	1914.8	3728.6	-	-	-	-	6.60	6.60	6.60	6.60	2052.9	1990.6	1965.1	1883.8	1854.3	1985.4	2008.2
			ACT	2.27	3.16	7.25	-	-	-	-	-	-	-	-	3.16	3.16	3.16	3.16	3.16	3.16	3.16
			Vic	552.9	765.5	566.7	-	-	-	-	-	-	-	-	742.4	742.4	742.4	742.4	742.4	742.4	742.4
			SA	130.8	257.5	119.9	-	-	-	-	-	-	-	-	256.6	256.6	256.6	256.6	256.6	256.6	256.6

Total Annual Permitted Take (GL/y): s71(1)(b) and Basin Plan 6.12B(1) - annual permitted take. Calculated using accredited or draft WRPs as applicable.

SDL Resource Unit code	Take under Basic Rights (GL/y) 2015-16	2016-17	2017-18	2018-19	Annual Actual Take (GL/y) s71(1)(c) and Basin Plan 6.12B(2) - annual actual take [6] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
GS54	1.44	1.44	1.44	1.09	8.85	11.3	11.8	12.8	10.8	14.0	14.4
GS55	1.51	1.51	1.51	0.98	9.52	9.53	9.52	10.2	10.2	9.34	8.81
GS57	0.12	0.12	0.12	0.27	0.10	0.11	0.33	0.36	0.36	0.36	0.51
GS62	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02
GS53	0.66	0.66	0.66	0.23	0.32	0.32	0.58	1.07	1.07	1.07	0.63
GS56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.10	0.10	0.00
GS58	0.59	0.59	0.59	0.16	0.46	0.50	0.50	0.66	0.85	0.87	0.44
GS61a	0.77	0.77	0.77	0.21	0.77	0.77	0.77	1.12	1.10	1.10	0.34
GS61b	0.00	0.00	0.00	0.10	9.50	11.6	11.6	11.6	11.4	11.4	11.9
GS64a	6.00	6.00	6.00	4.46	32.3	55.1	41.1	42.0	48.0	50.5	57.7
GS64b	3.50	3.50	3.55	2.63	33.9	32.9	30.6	32.6	32.8	33.7	35.6
GS65	17.9	17.9	17.9	13.2	65.1	70.1	69.3	72.7	73.0	62.9	58.0
GS60	1.11	0.66	0.59	0.59	0.80	0.86	0.78	1.24	0.89	0.72	0.74
GS63	0.11	0.11	0.08	0.08	0.09	0.11	0.11	0.11	0.11	0.08	0.08
GS66	0.40	0.47	0.47	0.47	0.64	0.64	0.72	0.72	0.68	0.78	0.77
GS50	26.8	26.8	26.7	26.7	35.0	36.7	29.9	35.8	33.5	34.8	33.4
GS17	5.78	5.78	5.78	5.78	9.59	11.9	12.5	11.8	12.0	14.7	15.2
GS41	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47
GS38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS42	2.28	2.76	2.76	2.76	2.80	3.50	4.00	4.20	3.85	4.15	4.24
GS23	0.73	0.73	0.73	0.73	0.73	0.73	0.77	0.78	0.79	0.74	1.06
GS13	0.64	0.64	0.64	0.64	1.97	2.14	2.08	3.28	2.15	3.09	4.14
GS27a	0.99	0.99	0.99	0.99	2.26	4.10	5.90	5.40	5.97	8.39	11.9
GS27b	1.53	1.53	1.53	1.53	56.2	45.2	67.5	85.5	36.7	78.9	110.7
GS46	0.40	0.40	0.40	0.40	12.3	10.7	9.87	11.2	8.66	14.0	17.8
GS21	0.03	0.03	0.03	0.03	1.05	0.44	0.42	0.62	0.39	0.53	0.63
GS28a	3.00	3.00	3.00	3.00	5.25	6.47	7.15	6.21	6.47	8.17	8.32
GS28	1.00	1.00	1.00	1.00	179.6	230.3	300.3	268.5	151.5	323.1	377.9
GS31	0.80	0.80	0.82	0.82	35.5	36.1	40.1	32.4	30.3	42.7	55.6
GS12	0.04	0.04	0.04	0.04	1.44	0.83	0.60	0.72	0.87	1.68	1.61
GS25	4.00	4.00	4.00	4.00	87.2	104.9	120.5	97.5	91.4	127.2	131.8
GS44	6.28	6.28	6.28	6.28	44.2	42.3	57.2	55.7	37.9	75.4	89.4
GS10	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14
GS19	8.15	8.15	8.15	8.15	8.15	8.65	8.15	8.15	8.15	8.15	8.15
GS20	74.3	75.5	75.5	75.5	80.6	82.1	78.8	79.7	79.9	82.6	83.0
GS39	1.16	1.16	1.16	1.16	1.86	1.69	1.61	1.65	1.61	1.77	1.68
GS51	0.76	0.76	0.76	0.76	1.90	1.76	1.44	2.19	1.87	2.19	2.56
GS18	1.07	1.07	1.07	1.07	1.07	1.07	1.17	1.58	1.25	1.37	1.62
GS22	1.83	1.83	1.83	1.83	1.83	1.85	1.83	1.84	1.84	1.84	1.83
GS37	18.6	18.6	18.6	18.6	19.8	20.1	19.9	20.0	19.6	19.8	20.0
GS49	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
GS11	0.01	0.01	0.01	0.01	1.36	1.35	1.44	1.41	0.66	1.91	1.35
GS14	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
GS15	0.07	0.07	0.07	0.07	1.40	2.07	1.72	2.19	2.17	3.47	3.74
GS16	0.03	0.03	0.03	0.03	1.23	1.79	2.34	1.91	1.98	2.85	2.02
GS26	0.55	0.55	0.55	0.55	26.9	29.7	32.0	35.2	18.6	40.8	47.4
GS45	0.30	0.30	0.30	0.30	13.7	14.1	15.3	15.9	13.5	21.0	23.0
GS34	0.98	0.98	0.98	0.98	2.55	2.16	2.20	1.19	2.90	2.39	2.38
GS35	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
GS36	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.19	1.16	1.16
GS29	3.30	3.30	3.30	3.30	61.1	104.3	105.1	93.0	51.2	95.3	116.2
GS30	0.02	0.02	0.02	0.02	0.17	0.26	0.24	0.26	0.22	0.28	0.18
GS40	0.24	0.24	0.24	0.24	7.96	8.66	7.19	6.60	4.80	6.12	6.60
GS47	2.83	2.83	2.83	2.83	90.1	113.6	102.4	93.7	70.1	105.7	112.2
GS48	0.04	0.04	0.03	0.03	0.55	0.38	0.21	0.23	0.18	0.28	0.19
GS24	0.70	0.70	0.70	0.70	29.3	46.4	43.3	35.5	23.8	35.5	37.5
GS43	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.12	0.07	0.07
GS32	0.24	0.24	0.24	0.24	2.84	5.59	5.41	3.98	3.38	6.37	8.98
GS33	0.14	0.14	0.13	0.13	0.16	0.17	0.17	0.17	0.17	0.17	0.16
GS52	0.00	0.00	0.00	0.00	0.58	0.46	0.76	0.96	0.82	0.66	1.08
GS8a	0.00	0.00	2.50	2.50	41.3	35.5	43.7	79.5	54.2	43.4	96.3
GS8b	3.85	3.87	8.33	8.33	9.91	5.52	19.9	13.1	13.1	22.4	15.5
GS8c	15.4	15.5	8.29	8.29	101.2	98.4	136.5	141.5	138.9	120.9	149.1
GS8d	0.00	0.00	0.11	0.11	0.00	0.00	0.00	0.00	0.00	1.40	1.74
GS9a	0.28	0.21	0.17	0.18	0.62	0.60	0.72	0.46	0.71	0.69	0.89
GS9b	1.10	0.84	0.82	0.87	10.8	9.18	12.3	7.33	7.14	5.62	8.63
GS9c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.14
GS3a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS3b	2.28	2.28	2.28	2.28	41.0	34.6	37.7	35.0	28.3	37.2	38.7
GS3c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS5a	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
GS5b	0.41	0.41	0.41	0.41	1.80	1.11	0.61	0.50	0.98	0.99	1.06
GS6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
GS7	0.00	0.00	0.00	0.00	9.94	11.3	9.55	11.9	10.6	10.2	12.3
GS1a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS1b	0.08	0.08	0.08	0.08	2.07	1.75	1.45	1.21	0.69	0.89	1.60
GS2	0.70	0.70	0.70	0.70	2.83	2.18	2.18	8.14	5.57	7.52	11.6
GS4a	0.09	0.09	0.09	0.09	0.49	0.35	0.44	0.59	0.34	0.49	0.71
GS4b	0.18	0.18	0.18	0.18	1.60	1.34	1.40	1.53	1.23	1.42	1.43
GS4c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTALS (MDB)	235.1		235.9	226.75	1223.2	1387.1	1542.6	1521.9	1191.3	1625.6	1882.4
Qld	34.1	33.7	33.6	24.4	162.3	193.9	177.6	187.2	191.5	187.005	190.0
NSW	174.7	176.3	176.3	176.3	834.7	988.9	1095.7	1031.1	735.2	1182.7	1349.6
ACT	0.00	0.00	0.00	0.00	0.58	0.46	0.76	0.96	0.82	0.66	1.08
Vic	20.6	20.4	20.2	20.3	163.9	149.2	213.1	241.9	214.0	194.5	272.4
SA	5.73	5.73	5.73	5.72	61.7	54.6	55.3	60.8	49.7	60.7	69.4

Basin Plan 6.12 - Groundwater Compliance test components

Cumulative actual take (GL/y): Basin Plan 6.12C(1)(a), sum of annual actual take in the water accounting periods since *1 July 2019* (noting this trial account has applied this test retrospectively as a test of the SDL accouting framework). [7] = ∑ [6]

Cumulative permitted take (GL/y): Basin Plan 6.12C(4)(b), sum of annual permitted take for those water accounting periods. [8] = ∑ [5]

SDL Resource Unit code	Cumulative actual take [7] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Cumulative permitted take [8] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
GS54	8.85	20.2	32.0	44.8	55.6	69.7	84.1	14.0	28.0	42.0	56.0	70.0	84.0	98.0
GS55	9.52	19.0	28.6	38.7	48.9	58.2	67.0	10.5	21.0	31.5	42.0	52.5	63.0	73.5
GS57	0.10	0.21	0.54	0.89	1.25	1.61	2.12	46.9	93.8	140.7	187.6	234.5	281.4	328.3
GS62	0.01	0.02	0.03	0.04	0.04	0.05	0.07	0.69	1.38	2.07	2.76	3.45	4.14	4.83
GS53	0.32	0.64	1.22	2.29	3.36	4.42	5.05	1.48	2.96	4.44	5.92	7.40	8.88	10.4
GS56	0.00	0.00	0.00	0.10	0.20	0.30	0.30	100.0	200.0	300.0	400.0	500.0	600.0	700.0
GS58	0.46	0.96	1.46	2.12	2.97	3.85	4.29	18.1	36.2	54.3	72.4	90.5	108.6	126.7
GS61a	0.77	1.54	2.31	3.43	4.52	5.62	5.96	27.7	55.4	83.1	110.8	138.5	166.2	193.9
GS61b	9.50	21.1	32.7	44.4	55.7	67.1	79.1	12.6	25.2	37.8	50.4	63.0	75.6	88.2
GS64a	32.3	87.4	128.5	170.5	218.5	269.0	326.7	46.0	92.0	138.0	184.0	230.0	276.0	322.0
GS64b	33.9	66.8	97.4	130.0	162.8	196.6	232.2	40.5	81.0	121.5	162.0	202.5	243.0	283.5
GS65	65.1	135.2	204.5	277.1	350.1	413.1	471.0	79.0	158.0	237.0	316.0	395.0	474.0	553.0
GS60	0.80	1.65	2.43	3.68	4.57	5.29	6.02	1.32	2.65	3.89	5.13	6.02	6.74	7.48
GS63	0.09	0.19	0.30	0.41	0.52	0.60	0.68	0.12	0.23	0.35	0.46	0.57	0.65	0.74
GS66	0.64	1.27	1.99	2.71	3.39	4.17	4.94	0.64	1.35	2.07	2.79	3.47	4.25	5.02
GS50	35.0	71.6	101.6	137.3	170.8	205.7	239.0	226.0	452.0	678.0	904.0	1130.0	1356.0	1582.0
GS17	9.59	21.5	34.0	45.8	57.8	72.5	87.7	127.5	255.0	382.5	510.0	637.5	765.0	892.5
GS41	0.47	0.93	1.40	1.87	2.34	2.81	3.27	19.1	38.2	57.3	76.4	95.5	114.6	133.7
GS38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.50	5.00	7.50	10.0	12.5	15.0	17.5
GS42	2.80	6.30	10.3	14.5	18.4	22.5	26.7	6.59	13.2	19.8	26.4	33.0	39.5	46.1
GS23	0.73	1.46	2.23	3.01	3.80	4.54	5.60	2.23	4.46	6.69	8.92	11.2	13.4	15.6
GS13	1.97	4.10	6.18	9.46	11.6	14.7	18.8	7.50	15.0	22.5	30.0	37.5	45.0	52.5
GS27a	2.26	6.36	12.3	17.7	23.6	32.0	44.0	81.9	163.8	245.7	327.6	409.5	491.4	573.3
GS27b	56.2	101.4	168.8	254.3	291.0	370.0	480.7	126.4	230.7	329.7	414.9	495.9	593.6	691.4
GS46	12.3	22.9	32.8	44.0	52.7	66.7	84.5	15.5	29.6	44.4	58.5	72.6	87.4	102.9
GS21	1.05	1.48	1.90	2.52	2.91	3.44	4.07	1.27	2.54	3.81	5.08	6.35	7.62	8.89
GS28a	5.25	11.7	18.9	25.1	31.6	39.7	48.0	26.9	53.8	80.7	107.6	134.5	161.4	188.3
GS28	179.6	409.8	710.1	978.6	1130.1	1453.2	1831.1	323.9	603.1	892.0	1149.5	1407.0	1691.5	2003.0
GS31	35.5	71.6	111.6	144.1	174.4	217.0	272.6	61.4	117.5	176.4	219.4	265.0	321.1	377.3
GS12	1.44	2.27	2.87	3.59	4.46	6.14	7.75	2.88	5.76	8.64	11.5	14.4	17.3	20.2
GS25	87.2	192.1	312.6	410.1	501.5	628.7	760.5	128.0	248.5	366.9	461.6	559.5	676.9	794.3
GS44	44.2	86.5	143.7	199.3	237.2	312.6	402.0	94.2	188.4	282.6	376.8	471.0	565.2	659.4
GS10	2.14	4.29	6.43	8.57	10.7	12.8	15.0	6.90	13.8	20.7	27.6	34.5	41.4	48.3
GS19	8.15	16.8	25.0	33.1	41.3	49.4	57.6	18.7	37.4	56.1	74.8	93.5	112.2	130.9
GS20	80.6	162.6	241.4	321.1	401.0	483.6	566.6	259.0	518.0	777.0	1036.0	1295.0	1554.0	1813.0
GS39	1.86	3.55	5.16	6.81	8.42	10.2	11.9	10.7	21.4	32.1	42.8	53.5	64.2	74.9
GS51	1.90	3.66	5.10	7.30	9.17	11.4	13.9	7.11	14.2	21.3	28.4	35.6	42.7	49.8
GS18	1.07	2.15	3.32	4.90	6.14	7.52	9.13	4.15	8.30	12.5	16.6	20.8	24.9	29.1
GS22	1.83	3.67	5.50	7.34	9.18	11.0	12.8	2.16	4.32	6.48	8.64	10.8	13.0	15.1
GS37	19.8	39.9	59.8	79.8	99.4	119.2	139.1	55.1	110.2	165.3	220.4	275.5	330.6	385.7
GS49	0.54	1.08	1.62	2.16	2.70	3.24	3.78	0.55	1.10	1.65	2.20	2.75	3.30	3.85
GS11	1.36	2.71	4.15	5.56	6.22	8.13	9.48	3.29	6.58	9.87	13.2	16.5	19.7	23.0
GS14	0.08	0.17	0.25	0.33	0.41	0.49	0.58	0.62	1.24	1.86	2.48	3.10	3.72	4.34
GS15	1.40	3.47	5.19	7.38	9.55	13.0	16.8	3.47	6.94	10.4	13.9	17.4	20.8	24.3
GS16	1.23	3.02	5.36	7.27	9.25	12.1	14.1	2.66	5.43	8.21	10.7	13.3	16.2	18.8
GS26	26.9	56.6	88.6	123.8	142.3	183.1	230.5	53.4	106.5	159.5	212.2	264.9	317.5	370.2
GS45	13.7	27.7	43.1	59.0	72.5	93.5	116.6	19.7	37.5	55.4	72.4	87.7	109.1	129.6
GS34	2.55	4.71	6.91	8.10	11.0	13.4	15.8	15.5	31.0	46.5	62.0	77.5	93.0	108.5
GS35	0.65	1.30	1.95	2.60	3.25	3.90	4.55	33.4	66.8	100.2	133.6	167.0	200.4	233.8
GS36	1.16	2.32	3.48	4.64	5.83	6.99	8.15	8.83	17.7	26.5	35.3	44.2	53.0	61.8
GS29	61.1	165.4	270.4	363.4	414.6	509.9	626.1	95.7	197.9	293.7	387.4	468.1	574.7	681.3
GS30	0.17	0.43	0.67	0.92	1.15	1.42	1.60	1.23	2.46	3.69	4.92	6.15	7.38	8.61
GS40	7.96	16.6	23.8	30.4	35.2	41.3	47.9	9.34	20.1	29.2	38.6	47.0	58.2	68.4
GS47	90.1	203.8	306.1	399.9	469.9	575.6	687.8	137.3	282.8	412.0	549.1	674.1	817.3	954.4
GS48	0.55	0.93	1.14	1.37	1.55	1.83	2.02	1.77	3.54	5.31	7.08	8.85	10.6	12.4
GS24	29.3	75.7	119.0	154.6	178.4	213.9	251.4	39.1	82.6	119.3	155.6	188.7	225.0	264.6
GS43	0.07	0.15	0.22	0.29	0.40	0.48	0.55	0.72	1.44	2.16	2.88	3.60	4.32	5.04
GS32	2.84	8.43	13.8	17.8	21.2	27.6	36.5	8.40	16.8	25.2	33.6	42.0	50.4	58.8
GS33	0.16	0.33	0.50	0.67	0.84	1.01	1.17	0.41	0.82	1.23	1.64	2.05	2.46	2.87
GS52	0.58	1.04	1.80	2.76	3.58	4.24	5.33	3.16	6.32	9.48	12.6	15.8	19.0	22.1
GS8a	41.3	76.8	120.5	199.9	254.1	297.5	393.9	244.1	488.2	732.3	976.4	1220.5	1464.6	1708.7
GS8b	9.91	15.4	35.4	48.4	61.5	83.9	99.4	68.7	137.4	206.1	274.8	343.5	412.2	480.9
GS8c	101.2	199.7	336.1	477.7	616.5	737.4	886.5	223.0	446.0	669.0	892.0	1115.0	1338.0	1561.0
GS8d	0.00	0.00	0.00	0.00	0.00	1.40	3.15	20.0	40.0	60.0	80.0	100.0	120.0	140.0
GS9a	0.62	1.22	1.94	2.40	3.11	3.80	4.69	2.75	5.50	8.25	11.0	13.8	16.5	19.3
GS9b	10.8	20.0	32.3	39.7	46.8	52.4	61.1	163.8	327.6	491.4	655.2	819.0	982.8	1146.6
GS9c	0.00	0.00	0.00	0.00	0.00	0.13	0.27	20.0	40.0	60.0	80.0	100.0	120.0	140.0
GS3a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	41.4	82.8	124.2	165.6	207.0	248.4	289.8
GS3b	41.0	75.6	113.3	148.3	176.6	213.8	252.5	63.6	127.2	190.8	254.4	318.0	381.6	445.2
GS3c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	4.00	6.00	8.00	10.0	12.0	14.0
GS5a	0.19	0.38	0.57	0.76	0.95	1.14	1.33	3.41	6.82	10.2	13.6	17.1	20.5	23.9
GS5b	1.80	2.91	3.52	4.02	5.00	5.99	7.05	2.58	5.16	7.74	10.3	12.9	15.5	18.1
GS6	1.80	3.60	5.40	7.20	9.00	10.8	12.6	64.8	129.6	194.4	259.2	324.0	388.8	453.6
GS7	9.94	21.2	30.8	42.6	53.3	63.4	75.8	28.6	57.2	85.8	114.4	143.0	171.6	200.2
GS1a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75
GS1b	2.07	3.82	5.26	6.47	7.16	8.04	9.65	6.57	13.1	19.7	26.3	32.8	39.4	46.0
GS2	2.83	5.01	7.19	15.3	20.9	28.4	40.0	38.5	77.0	115.5	154.0	192.5	231.0	269.5
GS4a	0.49	0.85	1.28	1.87	2.21	2.71	3.42	2.09	4.18	6.27	8.36	10.5	12.5	14.6
GS4b	1.60	2.93	4.33	5.86	7.09	8.51	9.94	2.34	4.67	7.01	9.35	11.7	14.0	16.4
GS4c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	1.00	1.50	2.00	2.50	3.00	3.50
TOTALS (MDB)	1223.2	2610.2	4152.8	5674.7	6866.0	8491.5	10374.0	3454.5	6846.9	10213.7	13499.2	16754.8	20141.4	23550.9
Qld	162.3	356.2	533.9	721.1	912.6	1099.6	1289.6	399.5	799.2	1198.7	1598.3	1997.4	2396.5	2795.5
NSW	834.7	1823.6	2919.3	3950.4	4685.6	5868.3	7217.9	2052.9	4043.5	6008.6	7892.4	9746.7	11732.1	13740.3
ACT	0.58	1.04	1.80	2.76	3.58	4.24	5.33	3.16	6.32	9.48	12.6	15.8	19.0	22.1
Vic	163.9	313.1	526.2	768.1	982.1	1176.6	1449.0	742.4	1484.7	2227.1	2969.4	3711.8	4454.1	5196.5
SA	61.7	116.3	171.7	232.4	282.2	342.8	412.2	256.6	513.3	769.9	1026.5	1283.2	1539.8	1796.5

Reasonable excuse — Cumulative adjustement for incomplete water recovery (GL/y): Basin Plan 6.12C(4)(b). Example refers to circumstances beyond the Basin State's control where the Commonwealth has not achieved the water recovery target set. [9] = ∑ ([3] - [4])

Cumulative adjusted permitted take (GL/y): Basin Plan 6.12C(1)(a), after adjusting, for any previous water accounting period in which the curcumstances mentioned in the exmple in paragraph (4)(b) applied by the amount attributable to those circumstances. [10] = ∑ [5] + ∑ ([3] - [4])

20% of SDL: [11] = 0.2 * [2]

Indicative Compliance test (non-binding): Basin Plan 6.12C(4)(b). There is non-compliance with a long-term diversion limit if the sum of annual actual take in the water accounting periods since *1 July 2019* is greater than the sum of annual permitted take for those water accounting periods plus 20% of the SDL after adjusting for 6.12C(4)(b), ie incomplete water recovery outside the Basin State's control. [12] = ([10] + [11]) - [7]

SDL Resource Unit code	Reasonable excuse [9] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Cumulative adjusted permitted take [10] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	20% of SDL [11]	Indicative Compliance test [12] 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
GS54	NA	-	-	-	-	-	-	14.0	28.0	42.0	56.0	70.0	84.0	98.0	2.80	7.95	10.6	12.8	14.0	17.2	17.1	16.7
GS55	NA	-	-	-	-	-	-	10.5	21.0	31.5	42.0	52.5	63.0	73.5	2.10	3.08	4.06	5.04	5.37	5.72	6.88	8.57
GS57	NA	-	-	-	-	-	-	46.9	93.8	140.7	187.6	234.5	281.4	328.3	9.38	56.2	103.0	149.5	196.1	242.6	289.2	335.6
GS62	NA	-	-	-	-	-	-	0.69	1.38	2.07	2.76	3.45	4.14	4.83	0.14	0.82	1.50	2.18	2.86	3.54	4.22	4.89
GS53	NA	-	-	-	-	-	-	1.48	2.96	4.44	5.92	7.40	8.88	10.4	0.30	1.46	2.61	3.51	3.93	4.34	4.75	5.60
GS56	NA	-	-	-	-	-	-	100.0	200.0	300.0	400.0	500.0	600.0	700.0	20.0	120.0	220.0	320.0	419.9	519.8	619.7	719.7
GS58	NA	-	-	-	-	-	-	18.1	36.2	54.3	72.4	90.5	108.6	126.7	3.62	21.3	38.9	56.5	73.9	91.1	108.4	126.0
GS61a	NA	-	-	-	-	-	-	27.7	55.4	83.1	110.8	138.5	166.2	193.9	5.54	32.5	59.4	86.3	112.9	139.5	166.1	193.5
GS61b	NA	-	-	-	-	-	-	12.6	25.2	37.8	50.4	63.0	75.6	88.2	2.52	5.62	6.60	7.58	8.57	9.77	11.0	11.7
GS64a	NA	35.4	70.8	106.2	139.5	172.2	204.9	46.0	127.4	208.8	290.2	369.5	448.2	526.9	9.20	22.9	49.2	89.5	128.9	160.2	188.4	209.4
GS64b	NA	3.1	6.1	9.2	12.2	15.2	18.3	40.5	84.1	127.6	171.2	214.7	258.2	301.8	8.10	14.7	25.4	38.3	49.2	60.0	69.8	77.7
GS65	NA	-	-	-	-	-	-	79.0	158.0	237.0	316.0	395.0	474.0	553.0	15.8	29.7	38.6	48.3	54.7	60.7	76.7	97.8
GS60	NA	-	-	-	-	-	-	1.32	2.65	3.89	5.13	6.02	6.74	7.48	19.8	20.4	20.8	21.3	21.3	21.3	21.3	21.3
GS63	NA	-	-	-	-	-	-	0.12	0.23	0.35	0.46	0.57	0.65	0.74	4.92	4.95	4.96	4.97	4.98	4.98	4.98	4.98
GS66	NA	-	-	-	-	-	-	0.64	1.35	2.07	2.79	3.47	4.25	5.02	2.04	2.04	2.12	2.12	2.12	2.12	2.12	2.12
GS50	NA	-	-	-	-	-	-	226.0	452.0	678.0	904.0	1130.0	1356.0	1582.0	45.2	236.2	425.6	621.6	811.9	1004.4	1195.5	1388.2
GS17	NA	-	-	-	-	-	-	127.5	255.0	382.5	510.0	637.5	765.0	892.5	25.5	143.4	259.0	374.0	489.7	605.2	718.0	830.3
GS41	NA	-	-	-	-	-	-	19.1	38.2	57.3	76.4	95.5	114.6	133.7	3.82	22.5	41.1	59.7	78.4	97.0	115.6	134.3
GS38	NA	-	-	-	-	-	-	2.50	5.00	7.50	10.0	12.5	15.0	17.5	0.50	3.00	5.50	8.00	10.5	13.0	15.5	18.0
GS42	NA	-	-	-	-	-	-	6.59	13.2	19.8	26.4	33.0	39.5	46.1	1.32	5.11	8.20	10.8	13.2	15.9	18.4	20.7
GS23	NA	-	-	-	-	-	-	2.23	4.46	6.69	8.92	11.2	13.4	15.6	0.45	1.95	3.45	4.91	6.36	7.80	9.29	10.5
GS13	NA	-	-	-	-	-	-	7.50	15.0	22.5	30.0	37.5	45.0	52.5	1.50	7.03	12.4	17.8	22.0	27.4	31.8	35.2
GS27a	NA	-	-	-	-	-	-	81.9	163.8	245.7	327.6	409.5	491.4	573.3	16.4	96.0	173.8	249.8	326.3	402.3	475.8	545.7
GS27b	NA	-	-	-	-	-	-	126.4	230.7	329.7	414.9	495.9	593.6	691.4	17.8	88.0	147.2	178.6	178.3	222.7	241.4	228.5
GS46	NA	-	-	-	-	-	-	15.5	29.6	44.4	58.5	72.6	87.4	102.9	2.82	6.03	9.47	14.4	17.3	22.8	23.5	21.2
GS21	NA	-	-	-	-	-	-	1.27	2.54	3.81	5.08	6.35	7.62	8.89	0.25	0.48	1.31	2.16	2.81	3.69	4.43	5.07
GS28a	NA	-	-	-	-	-	-	26.9	53.8	80.7	107.6	134.5	161.4	188.3	5.38	27.0	47.5	67.2	87.9	108.3	127.1	145.6
GS28	NA	-	-	-	-	-	-	323.9	603.1	892.0	1149.5	1407.0	1691.5	2003.0	54.7	199.0	248.0	236.6	225.7	331.7	293.1	226.7
GS31	NA	-	-	-	-	-	-	61.4	117.5	176.4	219.4	265.0	321.1	377.3	10.7	36.6	56.6	75.5	86.1	101.4	114.8	115.3
GS12	NA	-	-	-	-	-	-	2.88	5.76	8.64	11.5	14.4	17.3	20.2	0.58	2.02	4.07	6.35	8.51	10.5	11.7	13.0
GS25	NA	-	-	-	-	-	-	128.0	248.5	366.9	461.6	559.5	676.9	794.3	23.4	64.2	79.8	77.7	74.9	81.4	71.6	57.2
GS44	NA	-	-	-	-	-	-	94.2	188.4	282.6	376.8	471.0	565.2	659.4	18.8	68.8	120.7	157.7	196.3	252.6	271.4	276.2
GS10	NA	-	-	-	-	-	-	6.90	13.8	20.7	27.6	34.5	41.4	48.3	1.38	6.14	10.9	15.7	20.4	25.2	29.9	34.7
GS19	NA	-	-	-	-	-	-	18.7	37.4	56.1	74.8	93.5	112.2	130.9	3.74	14.3	24.3	34.9	45.4	56.0	66.5	77.1
GS20	NA	-	-	-	-	-	-	259.0	518.0	777.0	1036.0	1295.0	1554.0	1813.0	51.8	230.2	407.2	587.4	766.7	945.8	1122.2	1298.2
GS39	NA	-	-	-	-	-	-	10.7	21.4	32.1	42.8	53.5	64.2	74.9	2.14	11.0	20.0	29.1	38.1	47.2	56.1	65.2
GS51	NA	-	-	-	-	-	-	7.11	14.2	21.3	28.4	35.6	42.7	49.8	1.42	6.63	12.0	17.6	22.6	27.8	32.7	37.3
GS18	NA	-	-	-	-	-	-	4.15	8.30	12.5	16.6	20.8	24.9	29.1	0.83	3.91	6.98	9.96	12.5	15.4	18.2	20.7
GS22	NA	-	-	-	-	-	-	2.16	4.32	6.48	8.64	10.8	13.0	15.1	0.43	0.76	1.08	1.41	1.73	2.05	2.37	2.71
GS37	NA	-	-	-	-	-	-	55.1	110.2	165.3	220.4	275.5	330.6	385.7	11.0	46.4	81.3	116.5	151.6	187.1	222.4	257.6
GS49	NA	-	-	-	-	-	-	0.55	1.10	1.65	2.20	2.75	3.30	3.85	0.11	0.12	0.13	0.14	0.15	0.16	0.17	0.18
GS11	NA	-	-	-	-	-	-	3.29	6.58	9.87	13.2	16.5	19.7	23.0	0.66	2.58	4.53	6.38	8.26	10.9	12.3	14.2
GS14	NA	-	-	-	-	-	-	0.62	1.24	1.86	2.48	3.10	3.72	4.34	0.12	0.66	1.20	1.74	2.28	2.82	3.35	3.89
GS15	NA	-	-	-	-	-	-	3.47	6.94	10.4	13.9	17.4	20.8	24.3	0.69	2.76	4.16	5.91	7.19	8.49	8.49	8.22
GS16	NA	-	-	-	-	-	-	2.66	5.43	8.21	10.7	13.3	16.2	18.8	0.51	1.94	2.92	3.36	3.98	4.53	4.59	5.22
GS26	NA	-	-	-	-	-	-	53.4	106.5	159.5	212.2	264.9	317.5	370.2	10.5	37.0	60.5	81.5	99.0	133.1	145.0	150.3
GS45	NA	-	-	-	-	-	-	19.7	37.5	55.4	72.4	87.7	109.1	129.6	3.58	9.54	13.4	15.9	17.0	18.8	19.2	16.6
GS34	NA	-	-	-	-	-	-	15.5	31.0	46.5	62.0	77.5	93.0	108.5	3.10	16.1	29.4	42.7	57.0	69.6	82.7	95.8
GS35	NA	-	-	-	-	-	-	33.4	66.8	100.2	133.6	167.0	200.4	233.8	6.68	39.4	72.2	104.9	137.7	170.4	203.2	235.9
GS36	NA	-	-	-	-	-	-	8.83	17.7	26.5	35.3	44.2	53.0	61.8	1.77	9.43	17.1	24.8	32.4	40.1	47.8	55.4
GS29	NA	-	-	-	-	-	-	95.7	197.9	293.7	387.4	468.1	574.7	681.3	17.7	52.3	50.2	40.9	41.7	71.2	82.5	72.9
GS30	NA	-	-	-	-	-	-	1.23	2.46	3.69	4.92	6.15	7.38	8.61	0.25	1.30	2.28	3.27	4.24	5.25	6.20	7.26
GS40	NA	-	-	-	-	-	-	9.34	20.1	29.2	38.6	47.0	58.2	68.4	1.87	3.25	5.33	7.29	10.0	13.7	18.7	22.3
GS47	NA	-	-	-	-	-	-	137.3	282.8	412.0	549.1	674.1	817.3	954.4	24.7	71.9	103.7	130.5	173.9	228.8	266.3	291.3
GS48	NA	-	-	-	-	-	-	1.77	3.54	5.31	7.08	8.85	10.6	12.4	0.35	1.58	2.97	4.53	6.06	7.65	9.15	10.7
GS24	NA	-	-	-	-	-	-	39.1	82.6	119.3	155.6	188.7	225.0	264.6	6.60	16.3	13.5	6.84	7.62	16.9	17.8	19.8
GS43	NA	-	-	-	-	-	-	0.72	1.44	2.16	2.88	3.60	4.32	5.04	0.14	0.79	1.44	2.09	2.74	3.34	3.99	4.63
GS32	NA	-	-	-	-	-	-	8.40	16.8	25.2	33.6	42.0	50.4	58.8	1.68	7.24	10.1	13.0	17.5	22.5	24.5	23.9
GS33	NA	-	-	-	-	-	-	0.41	0.82	1.23	1.64	2.05	2.46	2.87	0.08	0.33	0.57	0.81	1.05	1.29	1.53	1.78
GS52	NA	-	-	-	-	-	-	3.16	6.32	9.48	12.6	15.8	19.0	22.1	0.63	3.21	5.91	8.31	10.5	12.8	15.3	17.4
GS8a	NA	-	-	-	-	-	-	244.1	488.2	732.3	976.4	1220.5	1464.6	1708.7	48.8	251.6	460.2	660.6	825.3	1015.2	1215.9	1363.7
GS8b	NA	-	-	-	-	-	-	68.7	137.4	206.1	274.8	343.5	412.2	480.9	13.7	72.5	135.7	184.5	240.1	295.7	342.1	395.2
GS8c	NA	-	-	-	-	-	-	223.0	446.0	669.0	892.0	1115.0	1338.0	1561.0	44.6	166.4	290.9	377.5	458.9	543.1	645.2	719.1
GS8d	NA	-	-	-	-	-	-	20.0	40.0	60.0	80.0	100.0	120.0	140.0	4.00	24.0	44.0	64.0	84.0	104.0	122.6	140.9
GS9a	NA	-	-	-	-	-	-	2.75	5.50	8.25	11.0	13.8	16.5	19.3	0.55	2.68	4.83	6.86	9.15	11.2	13.2	15.1
GS9b	NA	-	-	-	-	-	-	163.8	327.6	491.4	655.2	819.0	982.8	1146.6	37.4	190.4	345.0	496.4	652.9	809.6	967.8	1122.9
GS9c	NA	-	-	-	-	-	-	20.0	40.0	60.0	80.0	100.0	120.0	140.0	4.00	24.0	44.0	64.0	84.0	104.0	123.9	143.7
GS3a	NA	-	-	-	-	-	-	41.4	82.8	124.2	165.6	207.0	248.4	289.8	8.28	49.7	91.1	132.5	173.9	215.3	256.7	298.1
GS3b	NA	-	-	-	-	-	-	63.6	127.2	190.8	254.4	318.0	381.6	445.2	12.7	35.3	64.4	90.2	118.8	154.1	180.5	205.5
GS3c	NA	-	-	-	-	-	-	2.00	4.00	6.00	8.00	10.0	12.0	14.0	0.40	2.40	4.40	6.40	8.40	10.4	12.4	14.4
GS5a	NA	-	-	-	-	-	-	3.41	6.82	10.2	13.6	17.1	20.5	23.9	0.68	3.90	7.12	10.3	13.6	16.8	20.0	23.2
GS5b	NA	-	-	-	-	-	-	2.58	5.16	7.74	10.3	12.9	15.5	18.1	0.52	1.29	2.77	4.73	6.81	8.41	10.0	11.5
GS6	NA	-	-	-	-	-	-	64.8	129.6	194.4	259.2	324.0	388.8	453.6	13.0	76.0	139.0	202.0	265.0	328.0	391.0	454.0
GS7	NA	-	-	-	-	-	-	28.6	57.2	85.8	114.4	143.0	171.6	200.2	5.72	24.4	41.7	60.7	77.5	95.5	113.9	130.2
GS1a	NA	-	-	-	-	-	-	0.25	0.50	0.75	1.00	1.25	1.50	1.75	0.22	0.47	0.72	0.97	1.22	1.47	1.72	1.97
GS1b	NA	-	-	-	-	-	-	6.57	13.1	19.7	26.3	32.8	39.4	46.0	1.31	5.81	10.6	15.8	21.1	27.0	32.7	37.7
GS2	NA	-	-	-	-	-	-	38.5	77.0	115.5	154.0	192.5	231.0	269.5	7.70	43.4	79.7	116.0	146.4	179.3	210.3	237.2
GS4a	NA	-	-	-	-	-	-	2.09	4.18	6.27	8.36	10.5	12.5	14.6	0.42	2.01	3.75	5.40	6.90	8.65	10.2	11.6
GS4b	NA	-	-	-	-	-	-	2.34	4.67	7.01	9.35	11.7	14.0	16.4	0.48	1.22	2.21	3.15	3.96	5.07	5.99	6.90
GS4c	NA	-	-	-	-	-	-	0.50	1.00	1.50	2.00	2.50	3.00	3.50	0.10	0.60	1.10	1.60	2.10	2.60	3.10	3.60
TOTALS (MDB)	NA	38.5	76.9	115.4	151.7	187.5	223.2	3454.5	6885.4	10290.6	13614.6	16906.6	20328.9	23774.1	694.5	2925.9	4969.6	6832.3	8634.3	10735.1	12531.9	14094.6
Qld	NA	38.5	76.9	115.4	151.7	187.5	223.2	399.5	837.6	1275.6	1713.6	2149.1	2583.9	3018.7	106.3	343.5	587.7	848.1	1098.8	1342.9	1590.7	1835.5
NSW	NA	-	-	-	-	-	-	2052.9	4043.5	6008.6	7892.4	9746.7	11732.1	13740.3	383.0	1601.2	2602.9	3472.2	4325.0	5444.1	6246.8	6905.4
ACT	NA	-	-	-	-	-	-	3.16	6.32	9.48	12.6	15.8	19.0	22.1	0.63	3.21	5.91	8.31	10.5	12.8	15.3	17.4
Vic	NA	-	-	-	-	-	-	742.4	1484.7	2227.1	2969.4	3711.8	4454.1	5196.5	153.1	731.6	1324.7	1853.9	2354.4	2882.7	3430.6	3900.6
SA	NA	-	-	-	-	-	-	256.6	513.3	769.9	1026.5	1283.2	1539.8	1796.5	51.5	246.4	448.5	649.8	845.6	1052.5	1248.5	1435.7

Other aspects of s71 reporting

SDL Resource Unit code	Allocation + Basic Rights (GL/y) s71(1)(d) - water allocations 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Carry Over (GL) s71(1)(d) - carry over 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Water lawfully accessible for take (GL) s71(1)(d) - water allocations 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
GS54	20.6	20.6	20.6	20.6	20.6	20.6	20.1	NA	NA	NA	NA	NA	NA	NA	20.6	20.6	20.6	20.6	20.6	20.6	20.1
GS55	10.2	10.2	10.2	10.2	10.2	9.34	8.81	NA	NA	NA	NA	NA	NA	NA	10.2	10.2	10.2	10.2	10.2	9.34	8.81
GS57	0.14	0.14	0.36	0.36	0.36	0.36	0.51	NA	NA	NA	NA	NA	NA	NA	0.14	0.14	0.36	0.36	0.36	0.36	0.51
GS62	0.01	0.01	0.01	0.01	0.01	0.01	0.02	NA	NA	NA	NA	NA	NA	NA	0.01	0.01	0.01	0.01	0.01	0.01	0.02
GS53	0.81	0.81	1.07	1.07	1.07	1.07	0.63	NA	NA	NA	NA	NA	NA	NA	0.81	0.81	1.07	1.07	1.07	1.07	0.63
GS56	0.00	0.00	0.00	0.10	0.10	0.10	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.10	0.10	0.10	0.00
GS58	0.66	0.66	0.66	0.66	0.85	0.87	0.44	NA	NA	NA	NA	NA	NA	NA	0.66	0.66	0.66	0.66	0.85	0.87	0.44
GS61a	0.77	0.77	0.77	1.12	1.10	1.10	0.34	NA	NA	NA	NA	NA	NA	NA	0.77	0.77	0.77	1.12	1.10	1.10	0.34
GS61b	10.2	12.6	12.6	11.6	11.4	11.4	11.9	NA	NA	NA	NA	NA	NA	NA	10.2	12.6	12.6	11.6	11.4	11.4	11.9
GS64a	60.9	60.9	60.9	60.9	60.9	58.8	57.2	43.1	29.5	37.9	34.0	33.4	27.4	24.4	104.0	90.4	98.8	94.9	94.4	86.2	81.6
GS64b	43.0	41.7	41.7	41.8	40.9	40.7	40.4	7.80	7.80	8.50	9.30	8.41	6.77	7.49	50.8	49.5	50.2	51.1	49.3	47.5	47.9
GS65	79.0	79.0	78.8	79.0	79.0	67.4	62.4	3.70	3.70	3.80	4.10	3.68	3.39	2.19	82.7	82.7	82.6	83.1	82.7	70.8	64.6
GS60	1.32	1.32	1.24	1.24	0.89	0.72	0.74	NA	NA	NA	NA	NA	NA	NA	1.32	1.32	1.24	1.24	0.89	0.72	0.74
GS63	0.12	0.12	0.12	0.12	0.11	0.08	0.08	NA	NA	NA	NA	NA	NA	NA	0.12	0.12	0.12	0.12	0.11	0.08	0.08
GS66	0.64	0.64	0.78	0.72	0.68	0.78	0.77	NA	NA	NA	NA	NA	NA	NA	0.64	0.64	0.78	0.72	0.68	0.78	0.77
GS50	59.0	59.0	62.3	62.6	62.6	62.7	62.7	5.37	5.68	5.39	5.39	5.38	5.38	5.38	64.4	64.7	67.7	68.0	68.0	68.0	68.0
GS17	23.6	29.8	28.5	29.4	29.4	29.4	29.4	4.49	0.00	4.11	5.17	5.41	5.49	4.64	28.1	29.8	32.6	34.5	34.8	34.9	34.0
GS41	3.01	2.99	3.70	2.98	3.67	3.69	5.91	0.02	0.00	0.00	2.44	0.61	0.81	0.81	3.03	2.99	3.70	5.42	4.28	4.50	6.72
GS38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS42	5.58	5.80	5.80	5.81	6.29	6.28	6.28	0.00	0.00	0.00	0.00	0.00	0.00	0.01	5.58	5.80	5.80	5.81	6.29	6.29	6.29
GS23	1.66	1.66	1.66	1.66	1.66	1.66	1.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.66	1.66	1.66	1.66	1.66	1.66	1.66
GS13	7.16	7.22	7.24	7.57	7.22	7.47	7.47	0.00	2.87	5.67	0.00	6.81	6.96	7.43	7.16	10.1	12.9	7.57	14.0	14.4	14.9
GS27a	83.4	80.3	80.3	78.7	78.7	78.7	78.7	31.2	33.4	29.6	29.3	28.7	28.8	28.6	114.6	113.7	109.9	108.0	107.5	107.5	107.3
GS27b	113.9	105.2	95.5	86.0	86.3	86.3	86.3	41.8	41.5	41.9	41.9	41.1	42.1	41.7	155.6	146.6	137.4	127.9	127.5	128.4	128.0
GS46	41.6	41.6	41.6	41.6	41.6	41.6	41.6	15.0	13.7	15.5	14.1	14.2	14.4	14.2	56.7	55.3	57.1	55.7	55.8	56.0	55.8
GS21	1.27	1.27	1.27	1.27	1.27	1.26	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.27	1.27	1.27	1.27	1.26	1.26	1.26
GS28a	8.20	8.20	8.20	8.20	8.20	8.20	8.20	5.15	5.15	4.92	4.70	4.38	4.79	4.75	13.4	13.4	13.1	12.9	12.6	13.0	12.9
GS28	283.7	279.6	275.5	276.4	276.4	276.4	276.4	252.0	260.7	242.8	229.2	227.2	259.3	239.7	535.7	540.3	518.3	505.6	503.6	535.7	516.1
GS31	82.7	82.7	82.5	83.0	83.0	84.3	84.6	0.24	16.7	18.0	17.6	17.7	17.8	17.6	83.0	99.4	100.5	100.6	100.7	102.0	102.1
GS12	8.29	8.29	8.34	8.29	8.29	8.29	8.29	0.00	2.17	3.09	2.47	2.66	2.82	2.06	8.29	10.5	11.4	10.8	11.0	11.1	10.3
GS25	123.2	121.1	119.0	112.6	112.6	112.6	112.6	52.8	61.2	56.4	47.3	49.2	52.3	51.3	176.0	182.3	175.3	160.0	161.8	164.9	163.9
GS44	184.0	179.7	179.7	179.7	180.6	180.6	180.6	19.0	33.2	47.6	31.3	32.0	32.7	29.7	203.0	212.8	227.3	210.9	212.6	213.3	210.3
GS10	4.30	4.30	4.30	4.30	4.32	4.30	4.30	0.18	0.18	0.22	0.22	0.22	0.22	0.22	4.48	4.48	4.52	4.52	4.53	4.52	4.52
GS19	8.91	9.66	8.91	8.91	8.92	8.91	8.91	0.08	0.08	0.08	0.08	0.08	0.08	0.08	8.98	9.73	8.98	8.98	9.00	8.98	8.98
GS20	139.6	148.5	145.2	148.4	148.5	145.9	148.8	5.76	1.96	10.3	7.95	8.30	7.36	8.80	145.4	150.5	155.5	156.4	156.8	153.3	157.6
GS39	10.7	11.0	11.0	10.7	11.0	11.0	11.0	0.71	0.91	0.96	0.96	0.96	0.96	0.96	11.4	11.9	11.9	11.7	11.9	11.9	11.9
GS51	7.11	7.11	7.11	7.11	7.11	7.11	7.11	0.63	0.62	1.08	0.63	0.63	0.48	0.53	7.74	7.74	8.19	7.75	7.75	7.60	7.64
GS18	4.15	4.15	4.15	4.15	4.15	4.15	4.15	0.61	0.62	0.62	0.62	0.61	0.62	0.62	4.76	4.77	4.76	4.76	4.76	4.77	4.77
GS22	2.21	2.25	2.25	2.25	2.25	2.25	2.25	0.04	0.04	0.06	0.08	0.08	0.08	0.08	2.25	2.29	2.31	2.34	2.34	2.33	2.33
GS37	26.2	38.6	28.1	39.7	39.7	39.8	41.2	0.94	0.96	11.8	1.00	1.00	1.00	1.10	27.2	39.6	39.8	40.7	40.7	40.8	42.3
GS49	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.63	0.63	0.63	0.63	0.63	0.63	0.63
GS11	4.62	4.62	4.62	4.62	4.62	4.79	4.77	0.00	0.00	0.00	0.00	-0.03	0.00	0.00	4.62	4.62	4.62	4.62	4.59	4.79	4.77
GS14	0.66	0.66	0.66	0.66	0.66	0.67	0.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.66	0.66	0.66	0.66	0.67	0.67
GS15	6.08	6.08	6.08	6.08	6.08	6.08	6.08	0.00	0.00	0.00	0.00	0.01	0.01	0.02	6.08	6.08	6.08	6.08	6.09	6.10	6.10
GS16	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.00	-0.17	0.00	0.00	0.00	0.00	0.00	13.7	13.6	13.7	13.7	13.7	13.7	13.7
GS26	71.4	70.7	70.4	69.5	69.5	52.1	52.1	27.6	26.3	26.4	27.0	26.3	21.3	18.5	99.0	97.0	96.8	96.5	95.7	73.4	70.6
GS45	32.5	32.5	32.5	32.5	32.5	32.5	32.5	0.00	0.00	-0.28	0.00	-0.04	0.00	0.00	32.5	32.5	32.2	32.5	32.4	32.5	32.5
GS34	6.67	6.69	6.69	6.79	6.79	6.79	6.79	0.00	0.00	0.00	1.40	3.14	1.77	1.92	6.67	6.69	6.69	8.19	9.93	8.56	8.71
GS35	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.65	0.65	0.65	0.66	0.65	0.65	0.65
GS36	1.16	1.17	1.20	1.17	1.24	1.17	1.62	0.00	0.00	0.00	0.01	0.01	0.00	0.00	1.16	1.17	1.20	1.18	1.25	1.17	1.62
GS29	95.6	93.5	91.4	89.3	89.3	89.3	89.3	79.7	80.0	74.7	63.8	57.5	69.6	63.1	175.3	173.4	166.0	153.1	146.8	158.9	152.4
GS30	3.50	3.50	3.50	3.32	3.32	3.56	3.56	0.00	0.00	0.00	0.00	0.00	0.00	0.06	3.50	3.50	3.50	3.32	3.32	3.56	3.62
GS40	49.1	43.3	36.2	39.1	52.2	52.2	52.2	18.8	18.6	18.7	18.6	18.7	18.7	8.72	67.9	61.9	54.9	57.7	70.8	70.8	60.9
GS47	135.8	127.7	123.7	118.9	119.4	119.4	118.9	108.5	107.5	101.6	92.9	85.3	92.5	82.2	244.3	235.1	225.3	211.8	204.7	212.0	201.1
GS48	3.64	3.22	3.44	3.68	3.68	3.69	3.89	0.00	0.00	0.00	0.00	0.00	0.00	0.20	3.64	3.22	3.44	3.68	3.68	3.69	4.09
GS24	39.0	37.0	35.1	33.1	33.1	33.1	33.3	26.4	26.7	23.2	16.8	13.0	17.1	13.4	65.3	63.7	58.3	49.9	46.1	50.2	46.8
GS43	1.26	1.26	1.26	1.26	1.26	1.27	1.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	1.26	1.26	1.26	1.26	1.27	1.27
GS32	16.1	16.1	16.1	16.1	16.1	16.1	16.1	0.00	0.00	-0.02	0.00	-0.06	0.00	0.00	16.1	16.1	16.1	16.1	16.1	16.1	16.1
GS33	1.74	1.73	1.73	1.73	1.73	1.73	1.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.74	1.73	1.73	1.73	1.73	1.73	1.73
GS52	1.03	1.03	1.61	1.48	1.58	2.11	2.21	NA	NA	NA	NA	NA	NA	NA	1.03	1.03	1.61	1.48	1.58	2.11	2.21
GS8a	147.5	196.7	194.8	191.7	191.7	190.5	187.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	147.5	196.7	194.8	191.7	191.7	190.5	187.5
GS8b	42.1	32.5	39.7	39.2	39.3	38.7	37.3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	42.1	32.5	39.7	39.2	39.3	38.7	37.3
GS8c	218.9	232.2	221.2	221.8	225.3	188.0	210.7	0.00	21.6	23.4	25.8	24.1	11.4	24.5	218.9	253.8	244.6	247.6	249.3	199.4	235.1
GS8d	0.00	0.00	0.00	0.00	0.00	1.92	4.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.92	4.18
GS9a	1.58	2.10	3.83	2.62	2.51	2.42	2.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.58	2.10	3.83	2.62	2.51	2.42	2.53
GS9b	18.3	24.7	17.0	18.3	18.0	11.5	14.4	0.00	0.00	0.00	0.00	0.00	0.43	0.00	18.3	24.7	17.0	18.3	18.0	11.9	14.4
GS9c	0.00	0.00	2.29	0.00	0.00	0.58	0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.29	0.00	0.00	0.58	0.58
GS3a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS3b	68.1	62.4	62.6	62.6	62.6	63.6	63.6	NA	NA	NA	NA	NA	NA	NA	68.1	62.4	62.6	62.6	62.6	63.6	63.6
GS3c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS5a	0.48	0.48	0.48	0.48	0.48	0.48	0.48	NA	NA	NA	NA	NA	NA	NA	0.48	0.48	0.48	0.48	0.48	0.48	0.48
GS5b	2.33	2.33	2.33	2.33	2.33	2.33	2.33	NA	NA	NA	NA	NA	NA	NA	2.33	2.33	2.33	2.33	2.33	2.33	2.33
GS6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	NA	NA	NA	NA	NA	NA	NA	1.80	1.80	1.80	1.80	1.80	1.80	1.80
GS7	28.6	28.6	28.6	28.6	28.6	28.6	28.6	NA	NA	NA	NA	NA	NA	NA	28.6	28.6	28.6	28.6	28.6	28.6	28.6
GS1a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GS1b	6.58	6.58	6.58	6.58	6.58	4.20	9.04	1.37	1.91	1.64	0.55	0.49	0.43	0.54	7.95	8.49	8.22	7.13	7.07	4.63	9.58
GS2	2.83	2.18	30.5	32.4	32.4	32.6	32.6	0.00	0.00	0.00	0.00	2.01	1.97	2.23	2.83	2.18	30.5	32.4	34.4	34.5	34.8
GS4a	2.35	2.34	1.91	2.04	2.04	2.03	2.07	0.34	0.36	0.33	0.33	0.30	0.31	0.32	2.69	2.70	2.24	2.37	2.34	2.33	2.38
GS4b	2.40	2.38	2.25	2.27	2.27	2.27	2.27	0.11	0.13	0.19	0.19	0.14	0.14	0.13	2.50	2.52	2.44	2.46	2.41	2.40	2.40
GS4c	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTALS (MDB)	2490.5	2532.4	2508.9	2498.0	2515.9	2439.2	2466.0	753.3	805.5	820.0	737.2	723.5	757.6	710.1	3243.8	3337.9	3328.9	3235.2	3239.5	3196.7	3176.1
Qld	228.2	229.3	229.7	229.5	228.1	213.3	204.4	54.6	41.0	50.2	47.4	45.5	37.6	34.0	282.8	270.3	279.9	276.9	273.6	250.9	238.5
NSW	1717.3	1704.7	1661.6	1654.2	1670.3	1652.3	1659.4	696.9	740.6	744.3	662.9	651.0	705.3	648.3	2414.2	2445.2	2405.9	2317.1	2321.4	2357.6	2307.8
ACT	1.03	1.03	1.61	1.48	1.58	2.11	2.21	NA	NA	NA	NA	NA	NA	NA	1.03	1.03	1.61	1.48	1.58	2.11	2.21
Vic	428.5	488.3	478.8	473.6	476.8	433.6	457.2	0.00	21.6	23.4	25.8	24.1	11.8	24.5	428.5	509.9	502.2	499.4	500.8	445.4	481.6
SA	115.5	109.1	137.1	139.2	139.2	137.9	142.8	1.81	2.40	2.16	1.07	2.94	2.85	3.22	117.3	111.5	139.3	140.2	142.1	140.7	146.0

SDL Resource Unit code	Actual Take / Water lawfully accessible for take (%) 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Carry Over / Water lawfully accessible for take (%) 2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	Take from Groundwater Measurement Method (excludes basic rights) 2018-19: Non-metered (GL/y)	% metered
GS54	43%	55%	57%	62%	53%	68%	72%	-	-	-	-	-	-	-	4.61	65%
GS55	94%	94%	94%	100%	100%	100%	100%	-	-	-	-	-	-	-	7.83	0%
GS57	73%	79%	92%	99%	100%	100%	100%	-	-	-	-	-	-	-	0.24	0%
GS62	89%	100%	100%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.00	100%
GS53	40%	40%	54%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.40	0%
GS56	0%	0%	0%	100%	100%	100%	0%	-	-	-	-	-	-	-	0.00	100%
GS58	70%	76%	76%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.28	0%
GS61a	100%	100%	100%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.13	0%
GS61b	93%	92%	92%	100%	100%	100%	100%	-	-	-	-	-	-	-	11.8	0%
GS64a	31%	61%	42%	44%	51%	59%	71%	41%	33%	38%	36%	35%	32%	30%	0.00	100%
GS64b	67%	66%	61%	64%	67%	71%	74%	15%	16%	17%	18%	17%	14%	16%	25.1	24%
GS65	79%	85%	84%	87%	88%	89%	90%	4%	4%	5%	5%	4%	5%	3%	39.6	12%
GS60	60%	65%	63%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.15	0%
GS63	71%	90%	90%	90%	100%	100%	100%	-	-	-	-	-	-	-	0.00	100%
GS66	100%	100%	92%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.30	0%
GS50	54%	57%	44%	53%	49%	51%	49%	8%	9%	8%	8%	8%	8%	8%	0.00	100%
GS17	34%	40%	38%	34%	34%	42%	45%	16%	0%	13%	15%	16%	16%	14%	0.00	100%
GS41	15%	16%	13%	9%	11%	10%	7%	1%	0%	0%	45%	14%	18%	12%	0.00	100%
GS38	0%	0%	0%	0%	0%	0%	0%	-	-	-	-	-	-	-	0.00	100%
GS42	50%	60%	69%	72%	61%	66%	67%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS23	44%	44%	46%	47%	48%	44%	64%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS13	27%	21%	16%	43%	15%	21%	28%	0%	28%	44%	0%	49%	48%	50%	0.00	100%
GS27a	2%	4%	5%	5%	6%	8%	11%	27%	29%	27%	27%	27%	27%	27%	0.00	100%
GS27b	36%	31%	49%	67%	29%	61%	86%	27%	28%	30%	33%	32%	33%	33%	0.00	100%
GS46	22%	19%	17%	20%	16%	25%	32%	27%	25%	27%	25%	25%	26%	25%	0.00	100%
GS21	82%	34%	33%	49%	31%	42%	50%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS28a	39%	48%	54%	48%	51%	63%	64%	39%	39%	38%	36%	35%	37%	37%	0.38	93%
GS28	34%	43%	58%	53%	30%	60%	73%	47%	48%	47%	45%	45%	48%	46%	0.00	100%
GS31	43%	36%	40%	32%	30%	42%	54%	0%	17%	18%	17%	18%	17%	17%	0.00	100%
GS12	17%	8%	5%	7%	8%	15%	16%	0%	21%	27%	23%	24%	25%	20%	0.00	100%
GS25	50%	58%	69%	61%	56%	77%	80%	30%	34%	32%	30%	30%	32%	31%	0.00	100%
GS44	22%	20%	25%	26%	18%	35%	43%	9%	16%	21%	15%	15%	15%	14%	0.00	100%
GS10	48%	48%	47%	47%	47%	47%	47%	4%	4%	5%	5%	5%	5%	5%	0.00	100%
GS19	91%	89%	91%	91%	91%	91%	91%	1%	1%	1%	1%	1%	1%	1%	0.00	100%
GS20	55%	55%	51%	51%	51%	54%	53%	4%	1%	7%	5%	5%	5%	6%	0.00	100%
GS39	16%	14%	13%	14%	14%	15%	14%	6%	8%	8%	8%	8%	8%	8%	0.00	100%
GS51	25%	23%	18%	28%	24%	29%	33%	8%	8%	13%	8%	8%	6%	7%	0.00	100%
GS18	23%	23%	25%	33%	26%	29%	34%	13%	13%	13%	13%	13%	13%	13%	0.00	100%
GS22	81%	81%	79%	79%	79%	79%	78%	2%	2%	3%	4%	4%	4%	4%	0.00	100%
GS37	73%	51%	50%	49%	48%	48%	47%	3%	2%	29%	2%	2%	2%	3%	0.00	100%
GS49	86%	86%	86%	86%	86%	86%	86%	2%	2%	2%	2%	2%	2%	2%	0.00	100%
GS11	30%	29%	31%	31%	14%	40%	28%	0%	0%	0%	0%	-1%	0%	0%	0.00	100%
GS14	13%	13%	12%	12%	12%	13%	13%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS15	23%	34%	28%	36%	36%	57%	61%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS16	9%	13%	17%	14%	14%	21%	15%	0%	-1%	0%	0%	0%	0%	0%	0.00	100%
GS26	27%	31%	33%	36%	19%	56%	67%	28%	27%	27%	28%	27%	29%	26%	0.00	100%
GS45	42%	43%	48%	49%	41%	65%	71%	0%	0%	-1%	0%	0%	0%	0%	0.00	100%
GS34	38%	32%	33%	15%	29%	28%	27%	0%	0%	0%	17%	32%	21%	22%	0.00	100%
GS35	100%	100%	100%	98%	100%	100%	100%	0%	0%	0%	2%	0%	0%	0%	0.00	100%
GS36	100%	100%	97%	98%	95%	99%	72%	0%	0%	0%	1%	1%	0%	0%	0.00	100%
GS29	35%	60%	63%	61%	35%	60%	76%	45%	46%	45%	42%	39%	44%	41%	0.00	100%
GS30	5%	7%	7%	8%	7%	8%	5%	0%	0%	0%	0%	0%	0%	2%	0.00	100%
GS40	12%	14%	13%	11%	7%	9%	11%	28%	30%	34%	32%	26%	26%	14%	0.00	100%
GS47	37%	48%	45%	44%	34%	50%	56%	44%	46%	45%	44%	42%	44%	41%	0.00	100%
GS48	15%	12%	6%	6%	5%	7%	5%	0%	0%	0%	0%	0%	0%	5%	0.00	100%
GS24	45%	73%	74%	71%	52%	71%	80%	40%	42%	40%	34%	28%	34%	29%	0.00	100%
GS43	6%	6%	6%	6%	9%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS32	18%	35%	34%	25%	21%	39%	56%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS33	9%	10%	10%	10%	10%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS52	57%	45%	47%	65%	52%	31%	49%	-	-	-	-	-	-	-	0.00	100%
GS8a	28%	18%	22%	41%	28%	23%	51%	0%	0%	0%	0%	0%	0%	0%	40.9	56%
GS8b	0%	17%	50%	0%	0%	58%	42%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS8c	0%	39%	56%	0%	0%	61%	63%	0%	8%	10%	10%	10%	6%	10%	0.00	100%
GS8d	0%	0%	0%	0%	0%	73%	42%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS9a	0%	29%	19%	0%	0%	29%	35%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS9b	59%	37%	72%	40%	40%	47%	60%	0%	0%	0%	0%	0%	4%	0%	0.00	100%
GS9c	0%	0%	0%	0%	0%	22%	25%	0%	0%	0%	0%	0%	0%	0%	0.00	100%
GS3a	0%	0%	0%	0%	0%	0%	0%	-	-	-	-	-	-	-	0.00	100%
GS3b	60%	55%	60%	56%	45%	59%	61%	-	-	-	-	-	-	-	0.00	100%
GS3c	0%	0%	0%	0%	0%	0%	0%	-	-	-	-	-	-	-	0.00	100%
GS5a	39%	39%	39%	39%	39%	39%	39%	-	-	-	-	-	-	-	0.00	100%
GS5b	77%	47%	26%	21%	42%	42%	45%	-	-	-	-	-	-	-	0.00	100%
GS6	100%	100%	100%	100%	100%	100%	100%	-	-	-	-	-	-	-	0.00	100%
GS7	35%	40%	33%	41%	37%	35%	43%	-	-	-	-	-	-	-	0.00	100%
GS1a	0%	0%	0%	0%	0%	0%	0%	-	-	-	-	-	-	-	0.00	100%
GS1b	26%	21%	18%	17%	10%	19%	17%	17%	22%	20%	8%	7%	9%	6%	0.00	100%
GS2	100%	100%	7%	25%	16%	22%	33%	0%	0%	0%	0%	6%	6%	6%	1.48	86%
GS4a	18%	13%	20%	25%	15%	21%	30%	13%	13%	15%	14%	13%	13%	13%	0.00	100%
GS4b	64%	53%	57%	62%	51%	59%	60%	4%	5%	8%	8%	6%	6%	5%	0.00	100%
GS4c	0%	0%	0%	0%	0%	0%	0%	-	-	-	-	-	-	-	0.00	100%
TOTALS (MDB)	38%	42%	46%	47%	37%	51%	59%	23%	24%	25%	23%	22%	24%	22%	133.2	92%
Qld	57%	72%	63%	68%	70%	75%	80%	19%	15%	18%	17%	17%	15%	14%	90.4	45%
NSW	35%	40%	46%	44%	32%	50%	58%	29%	30%	31%	29%	28%	30%	28%	0.38	100%
ACT	57%	45%	47%	65%	52%	31%	49%	-	-	-	-	-	-	-	0.00	100%
Vic	38%	29%	42%	48%	43%	44%	57%	0%	4%	5%	5%	5%	3%	5%	40.9	84%
SA	53%	49%	40%	43%	35%	43%	48%	2%	2%	2%	1%	2%	2%	2%	1.48	98%

* The BDL and SDL for the Lower Macquarie SDL resource unit has been adjusted down by 18.03 GL. This is the agreed portion of the limit under the Water Sharing Plan for the Lower Macquarie Groundwater Sources 2003 of New South Wales that applies to water taken from the Jurassic Sandstone of the Great Artesian Basin as per Schedule 4 of the Basin Plan.

** The BDL and SDL for the Wimmera-Mallee: Sedimentary Plain SDL resource unit have been adjusted down by 3.2 GL. This is the agreed limit for the excluded Victorian West Wimmera Groundwater Management Area under the *PCV (West Wimmera GMA) Order 2013* as per Schedule 4 in the Basin Plan.

Legend:

- Where NSW supplementary licence volumes were added to the permitted take method proposed in the draft WRPs
- SDL resource units where a variable permitted take method has been applied as outlined in the draft WRPs
- Where annual actual take exceeds annual permitted take in the same year
- Where cummulative actual take exceeds cumulative permitted take in the same year
- Non-compliant: = ∑actual take > ∑(permitted take + 20% of SDL + unrecovered HEW)
- Compliant: = ∑actual take ≤ ∑(permitted take + 20% of SDL + unrecovered HEW)
- <75%
- 75-100%