

Recommendation on the accreditation of the proposed Victorian Murray Water Resource Plan

Meeting No. 140 of the Authority

Recommendation

1. On 11 February 2020, consistent with a process agreed between the Commonwealth and Victoria under subsection 73(14)(a) of the *Water Act 2007* (Cth) ('the Act'), the Minister requested that the Murray-Darling Basin Authority ('the Authority') assess the proposed Victorian Murray Water Resource Plan ('the proposed WRP') submitted by Victoria to the Authority on 26 November 2019, in accordance with s 63 of the Act.
2. The proposed WRP at **Attachment A** is comprised of:
 - a. All material in Column 3 of the Index Table which is marked "*Victorian Murray water resource plan area*"; and
 - b. All material in Column 3 of the Index Table which is marked "*Victoria's North (surface water) water resource plan area*"; and
 - c. All material in Column 3 of the Index Table which is marked "*Victoria's North and Murray water resource plan area*"; and
 - d. All material in Columns 1, 2 and 4 in corresponding rows of (a), (b) and (c) above; and
 - e. Table A of the Index Table; and
 - f. All material from the Comprehensive Report which is referenced in (a), (b) and (c) above
3. The Authority is satisfied that the proposed WRP is consistent with the relevant Basin Plan (*Basin Plan 2012* (Cth), version F2018C00451, registered on 11 July 2018 and in force as of the date of the Authority's recommendation), as is required by section 55(2) of the Act including:
 - a. the requirements for water resource plans, and
 - b. the long-term annual diversion limits ('SDLs') for the water resources of the WRP area.
4. In considering consistency the Authority has had regard to the legislative framework within which the proposed WRP operates, as is required by section 55(3) of the Act.

5. In exercising its powers and performing its functions, the Authority has had regard to the Basin Plan and the extent to which the proposed WRP is consistent with the Basin Plan (in accordance with sections 56(1)(a) and (b) of the Act).
6. In arriving at its recommendation, the Authority has taken into account the form of the proposed WRP delivered by Victoria; being that no legislative instruments from the Victorian water management framework have been incorporated into the proposed WRP, and the proposed WRP is as such a stand-alone instrument that independently imposes some obligations and explains how Victoria manages its water resources through its existing water management framework, without this framework being put forward for the purposes of accreditation.
7. The Authority has also considered that Victoria does not have a Long-Term Watering Plan that is consistent with Chapter 8 of the Basin Plan. Instead, the information required for demonstrating delivery of environmental outcomes is explained in the proposed WRP, and a commitment is included that Victoria will review and update its relevant Long-Term Watering Plan following accreditation to better align with the requirements of Chapter 8 of the Basin Plan.
8. No planned environmental water (PEW) has been identified in the WRP area. However, the Authority considers that the other ‘types’ of water in the system (nominally referred to as “above cap” water) contribute to the achievement of environmental outcomes amongst other social, cultural and economic outcomes and as such the proposed WRP includes a commitment to manage the system and above cap water in line with the Victorian management framework in order to achieve the outcomes. This commitment is intended to ensure that this contribution of above cap water is sufficiently protected. The Authority notes that Victoria is required to report on the delivery of environmental outcomes as part of reporting on the implementation of the proposed WRP under Schedule 12, Matter 8 of the Basin Plan and will closely monitor how this commitment in the proposed WRP is managed to achieve environmental outcomes in the proposed WRP area.
9. The Authority notes that the proposed WRP has not included the proportion of take which is measured in accordance with agreed metering standards (AS4747) as recommitted to in the Basin Compliance Compact, as Victoria have determined that it is not currently possible to estimate the proportion of water taken that is measured by different classes of meters. The Authority expects that following accreditation of the proposed WRP, and the determination of any exemptions to the metering standard that Victoria chooses to put in place, the proposed WRP will be amended by Victoria to include the proportion of take that is metered to agreed standards.
10. Victoria submitted the proposed WRPs for the Northern Victoria, Goulburn-Murray and Victorian Murray WRP areas as one document, including one index table and one supporting comprehensive report. This decision is only concerned with the proposed Victorian Murray Water Resource Plan, as identified in paragraph 6.
11. **On this basis the Authority gives the Minister the proposed Victorian Murray WRP and recommends that the Minister accredit the proposed WRP.**
12. The Authority’s detailed reasoning is set out in the document titled ‘Water Resource Plan assessment report, proposed Victorian Murray Water Resource Plan’, March 2020.

